

TEMPORARY

Serial No. **56980 T**

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office NOV 26 1991

Returned to applicant for correction _____

Corrected application filed _____ Map filed _____

The applicant Spanish Springs Association c/o Richard Harris, PartnerP.O. box 70250of Reno

Street and No. or P.O. Box No.

City or Town

Nevada 89570-0250

State and Zip Code No.

hereby make application for permission to change the

point of diversion, place and manner of use of a portion

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 48921 (Certificate No. 12072)

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.

1. The source of water is underground

Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 0.0323 cfs (10 acre-feet annually)

Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for construction purposes

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for commercial (Dust Control-Gravel Pit ops) and domestic

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 22 T.20N., R.20E., MDM

Describe as being within a 40-acre subdivision of public survey and by course and

(Washoe County Assessor's plat book 83, page 22; same point of diversion as
distance to a section corner. If on unsurveyed land, it should be stated.Temporary Permit No. 54108-T)6. The existing permitted point of diversion is located within SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 15, T.21N., R.20E.,

If point of diversion is not changed, do not answer.

MDM or at a point from which the E $\frac{1}{4}$ Corner of said Section 15 bears N 86°50'28" W, a distance of 1093.7 feet.7. Proposed place of use Section 23, T.20N., R.20E., MDM

Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use E $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{4}$, Section 15; portions of SW $\frac{1}{4}$ Section 14; portions

Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or

of the NW $\frac{1}{4}$ and the NE $\frac{1}{4}$ Section 23; portions of the NE $\frac{1}{4}$ Section 22; all T.21N.,

manner of use of irrigation permit, describe acreage to be removed from irrigation.

R.20E., MDM9. Use will be from January 1 to December 31 of each year.

Month and Day

Month and Day

10. Use was permitted from January 1 to December 31 of each year.

Month and Day

Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) a drilled and cased well equipped with a

State manner in which water is to be diverted, i.e. diversion structure.

motor, pump and pipeline to storage tanks at the place of use.

ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works completed13. Estimated time required to construct works completed

14. Estimated time required to complete the application of water to beneficial use 1 year

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This is an application for a temporary permit to use 10.00 acre-feet of water for construction purposes. This application is being filed by Spanish Springs Association. Water is to be used by Diversified Development as detailed in the Water Rights Agreement between the Spanish Springs Association and Diversified Development of October 16, 1990. Consumptive use is as follows: 0.0323 cfs x 448.83 gpm x 60 min x 12 hrs/day x 312 days/year (6 days per week) = 10.00 acre-feet/year.

By s/ Michael D. Buschelman
Michael D. Buschelman-Agent
 5405 Mae Anne Avenue
 Reno, Nevada 89523

Compared am/se am/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This temporary permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 48921, Certificate 12072 is issued subject to the terms and conditions imposed in said Permit 48921, Certificate 12072 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on February 25, 1993 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from each well and the amount of water used.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to

exceed 0.0323 cubic feet per second, but not to exceed 10 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my
 office, this 26th day of February

A.D. 19 92

[Signature]
 State Engineer

EXPIRED

DATE FEB 25 1993